



7. (Amended) A polymer according to claim 1, wherein the polymeric backbone additionally comprises polymers selected from the group consisting of acrylic polymers, alkylene polymers, urethane polymers, amide polymers (including polypeptides), polysaccharides and ester polymers.

8. (Amended) A polymer according to claim 1, wherein the polymeric backbone comprises polymers selected from the group consisting of derivatised polyethyleneglycol and copolymers of hydroxyalkyl(meth)acrylamide, most preferably amine derivatised polyethyleneglycol or hydroxypropylmethacrylamide-methacrylic acid copolymers or amide or ester derivatives thereof.


9. (Amended) A polymer according to claim 1, wherein the polymeric backbone comprises the structure (II)



wherein A, B, Q, R-R<sup>4</sup>, m, n, p and q are as defined in claim 1; L is a polymeric, oligomeric or copolymeric bridging group which comprises polymer selected from the group consisting of acrylic polymers, alkylene polymers, urethane polymers, polyethylene glycols, polyamides, polysaccharides and polyesters; a is an integer of 1 to 100000, b and c are integers of 0 to 100000 and s is an integer of 0 to 100; D comprises one or more structures individually selected from the group consisting of,



wherein  $R^{14}$  and  $R^{14'}$  comprise groups individually selected from the same groups as defined for R or may comprise a structure selected from the group consisting of



wherein  $n$  is an integer of 0-100,  $R^{15}$  is selected from the group consisting of hydrogen and  $C_1$ - $C_6$  alkyl,  $R^{16}$  to  $R^{18}$  are individually selected from the group consisting of H,  $C_1$ - $C_{12}$  alkyl,  $C_1$ - $C_{12}$  alkenyl,  $C_6$ - $C_{18}$  aryl,  $C_7$ - $C_{18}$  aralkyl,  $C_5$ - $C_{18}$  cycloalkyl or is selected from the group consisting of  $C_1$ - $C_{12}$  alkyl,  $C_1$ - $C_{12}$  alkenyl,  $C_6$ - $C_{18}$  aryl,  $C_7$ - $C_{18}$  aralkyl,  $C_6$ - $C_{18}$  cycloalkyl substituted, within the carbon chain or appended thereto, with one or more heteroatoms, a pendent group comprising a linker unit, for example a peptide linkage or a unit having the structure (I) or a leaving group;  $R^{13}$  is selected from the group consisting of H,  $C_1$ - $C_{12}$  alkyl,  $C_1$ - $C_{12}$  alkenyl,  $C_6$ - $C_{18}$  aryl,  $C_7$ - $C_{18}$  aralkyl,  $C_5$ - $C_{18}$  cycloalkyl or is selected from the group consisting of  $C_1$ - $C_{12}$  alkyl,  $C_1$ - $C_{12}$  alkenyl,  $C_6$ - $C_{18}$  aryl,  $C_7$ - $C_{18}$  aralkyl,  $C_6$ - $C_{18}$  cycloalkyl substituted, within the carbon chain or appended thereto, with one or more heteroatoms,  $R^{13}$  optionally incorporating a linker unit, for example a peptide linkage or a unit having the structure (I).


11. (Amended) A polymer according to claim 9, wherein  $s$  is an integer of 1 to 10, preferably 1.

12. (Amended) a polymer according to claim 9, wherein at least one of  $R^{14}$  to  $R^{24}$  incorporates a cleavable bond, preferably a group (I) or one or more peptide bonds.

13. (Amended) A polymer according to claim 9, wherein the polymer is conjugated to a bioactive agent, preferably an anti cancer agent, most preferably, doxorubicin, daunomycin or taxol.


14. (Amended) A polymer according to claim 9, wherein the molecular weight is in the range 0.5kDa-400kDa.

15. (Amended) A polymer according to claim 9, having the structure




wherein PEG is a polyethylene glycol group, or derivative thereof, having a molecular weight in the range 500 Da-100kDa and u is an integer in the range of 1-10000.

16. (Amended) A polymer according to claim 1, having the structure



wherein PEG is a polyethylene glycol group having a molecular weight in the range 500 Da-100kDa or derivative thereof, and u is an integer in the range of 1-10000.


17. (Amended) A prepolymer comprising the structure



wherein A, B, Q, R-R<sup>3</sup>, m, n, p and q are as defined in claim 9; R<sup>13</sup> and L are as defined in claim 9; A', B', Q' R<sup>1</sup>-R<sup>4</sup>, m', n', p', and q' are selected from the groups as defined for A, B, Q, R<sup>1</sup>-R<sup>4</sup>, m, n, p and q respectively; E and K are selected from the group consisting of hydrogen, an activating group or a protecting group and may be the same or different; z is an integer of 1 to 100, y is an integer of 0 to 10 and x is an integer of 0 to 100.

19. (Amended) A prepolymer according to claim 17, wherein B and B' comprise a carboxyl group and E and K are selected from the group consisting of hydrogen, N-succinimidyl pentachlorophenyl, pentafluorophenyl, paranitrophenyl, dinitrophenyl, N-phthalimido, N-norbornyl, cyanomethyl, pyridyl, trichlorotriazine, 5-chloroquinoline, preferably hydrogen or N-succinimidyl.

20. (Amended) A prepolymer comprising the structure (IV)



a<sup>3</sup>  
cancel  
wherein A, B, Q, R-R<sup>4</sup>, m, n, p and q are as defined in claim 9; D is as defined in claim 9; G and M are selected from the group consisting of hydrogen, an activating group or a protecting group, i and j are integers of 1 to 10.

---

a<sup>4</sup>  
22. (Amended) A prepolymer according to claim 20, wherein B and D comprise carboxylic acid groups and G and M are selected from the group consisting of hydrogen, N-succinimidyl pentachlorophenyl, pentafluorophenyl, para-nitrophenyl, dinitrophenyl, N-phthalimido, N-norbornyl, cyanomethyl, pyridyl, trichlorotriazine, 5-chloroquinoline, preferably hydrogen or N-succinimidyl.

---

24. (Amended) A method of selectively degrading a polymer comprising the steps of:

a) introducing a polymer as comprising a structure (I) or (II) as defined in claim 9, to an environment having a pH of less than 6.5,

b) cleaving said polymer.

a<sup>5</sup>  
cancel  
25. (Amended) A method for releasing a bioactive agent comprising the steps of

a) introducing a conjugate comprising a structure (I) or (II) as defined in claim 9, and a bioactive agent to an environment having a pH of less than 6.5,

c) cleaving the bioactive agent from the linker group by acid or enzymic hydrolysis,

d) optionally additionally cleaving the polymer by acid or enzymic hydrolysis.

26. (Amended) A composition comprising at least one polymer as defined in claim 1 and a carrier.

Application No.: Not Yet Assigned

Docket No.: G0365.0353/P353

27. (Amended) A composition comprising at least one polymer as defined in claim 1

and a pharmaceutically acceptable excipient.

28. (Amended) Use of a polymer as defined in claim 1 as a pharmaceutical excipient.